

# AmulFed Dairy

A UNIT OF GUJARAT CO-OPERATIVE MILK MARKETING FEDERATION LIMITED

(PREVIOUSLY KNOWN AS MOTHER DAIRY, GANDHINAGAR)

## PURCHASE ENQUIRY

<b>Inquiry No</b>	: AFD/PUR/PKS/ENQ/PUF, Dated: April 8, 2019
<b>Description</b>	: Purchase Inquiry for Supply, installation of PUF Panel fall ceiling at Powder Packing section.
<b>Qty</b>	: Approx. 1200 Sq. Mtr
<b>Due Date</b>	: 12 <sup>th</sup> April, 2019

Dear Sir,

You are requested to give your most competitive rates for Supply, installation of PUF Panel fall ceiling at Powder Packing section for our ongoing project at AmulFed Dairy at Gandhinagar with all necessary accessories required, as per the annexure attached herewith:

The offer should reach, AmulFed Dairy (A Unit Of Gujarat Co - Operative Milk Marketing Federation Limited.) Plot No. - 35, Near Indira Bridge, Ahmedabad - Gandhinagar Highway, Village: Bhat, Dist.: Gandhinagar. Pin No.382 428.

- The offer should be sent in sealed cover super scribing on the top left hand corner offer for inquiry No. AFD/PUR/PKS/ENQ/PUF dtd. 08/04/2019. Offer received after due date for whatsoever reason may be rejected.
- Your offer should be sent through Post/Courier/mail & not by Fax or personally.
- Offer should be valid for acceptance, for 60 days from due date of submission of offer.
- The price should be quoted on F.O.R basis inclusive of packing and forwarding, taxes, excise duties, freight etc. However if it is separate, it should be clearly mentioned in the quotation as per the attached annexure.
- It should cover a warranty of at least one-year against manufacturing defect from commissioning of the plant.
- Realistic earliest delivery period should be indicated.
- It is not binding on us to accept lowest offer.
- Right to reject any or all the offers without assigning any reason is reserved by us.
- Offer which are incomplete or not meeting the conditions or only for part items, are liable for rejections.
- No queries regarding the status of the offer will be entertained at any time.
- The final supplier will be the combined decision of our technical team and management and no reason of final selection will be conveyed to any bidder.
- Payment terms with 30 days credit shall be preferred.
- We are an ISO 14001 certified unit. We follow Eco- friendly processes in our factory & also expect same to be followed in your company.
- Contact detail: Mr. Palak Shah, Mail: [palak.shah@amul.coop](mailto:palak.shah@amul.coop), Mob: 7359001666

Amul SAGAR

Plot No. 35, Nr. India Bridge, Ahmedabad – Gandhinagar Highway, Village: Bhat, Dist.: Gandhinagar, PIN 382 428

Tel. No.: (079) 23969055 – 58, Fax No.: (079) 23969059

Website: [www.amul.com](http://www.amul.com)

**Annexure-I**

**Technical Scope of Supply**

**SANDWICHED INSULATION PANELS FOR FALLCEILING**

The false ceiling to be constructed using pre-fabricated, self supported, sandwich panels insulated with rigid polyurethane foam of required thickness. Sandwiched Panel shall be CFC free, manufactured using high-pressure foam injection equipment in a precise ratio and proportion. The properties of the polyurethane insulation shall be as under:

Injected density	:	30 kg/m <sup>3</sup>
Thickness	:	30 mm
Compressive strength	:	155 Kpa
Closed cell contents	:	90 to 95 %
Operation temperature range	:	0-20° C

Test certificates shall be produced to support above properties. The skin material for the false ceiling panels shall of one side galvanised steel sheet (**grade 275 gsm**) of *minimum 0.5 mm thick, Single side PCGI*, powder coated galvanized sheet without groved profile (Plain sheet) to enhance strength and aesthetics. The external surface of sheet is not required to be having galvanized sheet.

The panels shall be in single lengths to match the room height, and width of ceiling/wall panels shall be up to 1.2 m, in order to minimize the number of joints. The joining system of the panels shall be designed to ensure a quick and secure assembly at site. The joints shall be made hermetic and perfectly vapour tight by use of silicone sealants.

***However, machine made continuous panels is to be provided with deep tongue in groove joint (without cam lock). The corner piece shall be made manually but joints would be covered suitably with flashing.***

The system shall be complete with all ancillary items like, ceiling panels suspension system complete with insulated beam, suspension chain/ hard wares, suitable corner pieces, pre-painted steel/aluminium profiles for inner/outer junctions and joint corners, pressure relief valves, silicone sealants, foam chemicals and all other components & accessories as required. The costs of these ancillary items are deemed to be included in the respective rates for installation of ceiling/wall panels and no separate payment shall be made for such items.

Providing required cut-outs for recess mounted light fixtures, grills, etc. is in the scope of the supplier.

**Supply as well as fixing with proper framing with accessories at 5 Mtr height, scaffolding is in supplier scope. (14.5 Mtr Floor, loading and unloading in supplier scope).**

# AmulFed Dairy

A UNIT OF GUJARAT CO-OPERATIVE MILK MARKETING FEDERATION LIMITED

(PREVIOUSLY KNOWN AS MOTHER DAIRY, GANDHINAGAR)

Amul SAGAR

Plot No. 35, Nr. India Bridge, Ahmedabad – Gandhinagar Highway, Village: Bhat, Dist.: Gandhinagar, PIN 382 428

Tel. No.: (079) 23969055 – 58, Fax No.: (079) 23969059

Website: [www.amul.com](http://www.amul.com)