REQUEST FOR QUOTATION

IMS No. : AFD-IMS-02-15-F-06

AFD:PUR:ENQ-P:2023:2300205

Inquiry Start Date : 21/03/2023

Inquiry End Date : 05/04/2023

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
1	GPCB-001	Effluent Sample Collection and Analysis - AFD	96.00	Ea	Frequency : Once in Month's Sample Locations : 8 Place 1. Inlet Effluent 2. Clarfier-1 Outlet 3. Clarfier-2 Outlet 4. Final Outlet (Gardening) 5. DAF Outlet 6. ICR outlet 7. MBR Outlet 8. R.O. Outlet Scope : Analysis as per GPCB Parameters Where Final outlet & MBR outlet , RO Outlet GPCB Standard must write in columns along Sample analysis Report copy. Parameters :- pH, Temperature, Colour, TDS, COD, BOD, SS, Oil& Gease, Chlorides, Ammonical Nitrogen, Sulphates, Sodium Absorption Ratio, Sulphides, Fluorides Vendor must be : GPCB Approved Party & NABL Certified	GM01

REQUEST FOR QUOTATION

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
2	GPCB-002	Ambient Air Sampling and Analysis - AFD	24.00	Ea	Frequency : Once in Month's Locations : Near Boiler Plant Gate no. 2 or Gate no1 Scope Analysis as per GPCB Parameters Parameters :- PM2.5, PM 10, SO2, Nox (units -ug/cumts) Also Write GPCB Norms in report. Vendor must be : GPCB Approved Party & NABL Certified	GM01
3	GPCB-003	Noise Level Monitoring and Analysis - AFD	348.00	Ea	Frequency : Once in Month's 29 Location of Plant Scope : Analysis as per GPCB Parameters Parameters :- (dB) Analysis DAY Time & Night Time with DAY & Night GPCB Norms in report Vendor must be : GPCB Approved Party & NABL Certified	GM01

REQUEST FOR QUOTATION

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
4	GPCB-004	Solid Waste (ETP Sludge) and Analysis - AFD	12.00	Ea	Frequency : Once in Month's Location : ETP Scope : Analysis as per GPCB Parameters Parameters :- pH, Chloride, Total Alkalinity as Caco3, Total Acidity as Caco3, COD, BOD, in ppm Organic Matter, Inorganic Matter % Vendor must be : GPCB Approved Party & NABL Certified	GM01
5	GPCB-005	Stack Emission Collection and Analysis - AFD	120.00	Ea	Frequency : Once in Month's Locations : 10 10 TPH Biler 12 TPH Boiler 15 TPH Boiler -1 15 TPH Boiler -2 15 TPH Boiler -3 Air Heater of(NPP) 100 MT Powder Plant Waste Heat Recovery Boiler Stack- 02 >> Pet Line-1 & Line-2 Scrubber- 02 (Gap of Three Month's) Scope : Analysis as per GPCB Parameters Parameters :- PM (mg/N cumts), Oxides of Sulphur SO2 (ppm), Oxides of Nitrogen Nox (ppm) Vendor must be : GPCB Approved Party & NABL Certified	GM01

REQUEST FOR QUOTATION

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
6	GPCB-006	Stack of Process Emission and Analysis - AFD	36.00	Ea	Frequency : Once in Month's Locations : Old Powder Plant 60 MT New Powder Plant-100 MT Mega Powder Plant -150 MT Scope : Analysis as per GPCB Parameters Parameters :- PM (mg/N cumts) Vendor must be : GPCB Approved Party & NABL Certified	GM01

Terms and Condition :

REQUEST FOR QUOTATION

Sub. : Inquiry for appointment as internal environmental auditor for monitoring & Consultancy for period of 01.05.2023 to 30.04.2024 Dear Sir,

We would like to appoint an Internal Environmental Auditor for monitoring of Stack, Effluent, Ambient Air and Solid Waste analysis on monthly basis, for the period of one year, as per Water Act 1974 & as per consent order of GPCB to our both plant as mention below.

1. AmulFed Dairy (A Unit of GCMMF Limited.), Plot No. - 35, Near Indira Bridge, Ahmedabad - Gandhinagar Highway, Village: Bhat, Dist.: Gandhinagar.

2. Packaging film Project (PFP) Sector -25, Electronics GIDC, Opp- Madhur Dairy, Gandhinagar.

We invite your most competitive offer on the following terms & conditions:

- 1. Rate only accepted through purchase portal : https://afdpurchase.amul.in/
- 2. You are requested to send us an offer considering the specifications in purchase portal.
- 3. Your offer must be submitted through purchase portal only.
- 4. If you are not registered than register to get RFQ for rate submission on purchase portal.
- 5. Rates should be valid for one year. Rates for the sampling will remain fixed for the contract period irrespective of no. of samples.
- 6. It is not binding on us to accept lowest offer. Right to reject any or all the offers without assigning any reason is reserved by AmulFed Dairy.
- 7. Offer which are incomplete or not meeting the conditions or only for part items, are liable for rejections.
- 8. We would prefer payment term: within 30 days.
- 9. Sampling Schedule: As per instruction of concerned ETP In-charge/PFP Incharge monthly basis.
- 10. You should be a recognized auditor of Gujarat Pollution Control Board & photocopy of the letter of GPCB should be enclosed.

Remarks :

REQUEST FOR QUOTATION

Purchase Executive E Mail ID

Purchase Executive Mobile No.

umang.vanani@amul.coop

9106687886

REQUEST FOR QUOTATION

IMS No. : AFD-IMS-02-15-F-06

AFD:PUR:ENQ-P:2023:2300206

Inquiry Start Date : 21/03/2023

Inquiry End Date : 05/04/2023

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
1	GPCB-007	Ambient Air Sampling and Analysis - PFP	12.00	Ea	Frequency : once in 3 Months. Locations: Near Main Gate Near Old Plant Near New Plant Scope : Analysis as per GPCB Parameters Parameters :- PM2.5, PM 10, SO2, Nox (units -ug/cumts) Also Write GPCB Norms in report. Certificate for 24 Hrs Avg and Yearly Avg certificate required at year end. vendor must be: GPCB Approved Party & NABL Certified	GM02

REQUEST FOR QUOTATION

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
2	GPCB-008	Noise Level Monitoring and Analysis - PFP	48.00	Ea	Frequency : once in 3 Months. 12 Location of Plant Scope : Analysis as per GPCB Parameters Parameters :- (dB) Result in range of Leq, L90, L50, L10, L max, L min. Analysis DAY Time & Night Time with DAY & Night GPCB Norms in report vendor must be: GPCB Approved Party & NABL Certified	GM02
3	GPCB-009	Stack Emission Collection and Analysis - PFP	4.00	Ea	Frequency : once in 3 Months. Location : D G Set 250 KVA Scope Analysis as per GPCB Parameters Parameters :- PM (mg/N cumts), Oxides of Sulphur SO2 (ppm), Oxides of Nitrogen Nox (ppm) vendor must be: GPCB Approved Party & NABL Certified	GM02
4	GPCB-010	CI Stack Emission Collection & Analysis - PFP	4.00	Ea	Frequency : once in 3 Months. Locations: CI Flexo Printing Machine Scope Analysis as per GPCB Parameters Parameters :- PM (mg/N cumts) vendor must be: GPCB Approved Party & NABL Certified	GM02

REQUEST FOR QUOTATION

Sr No	Code	Item Description	Qty	UoM	Item Specification	Plant
5	GPCB-011	Work Place Monitoring Form no 37 - PFP	12.00	Ea	Frequency : once in 3 Months. Locations: Production - CI Machine 2 & 3 Producation - CI Machine 4 & 5 Producation - VPP Printing Scope : Total VOC Analysis. PM 10 PM 2.5 vendor must be: GPCB Approved Party & NABL Certified	GM02

Terms and Condition :

REQUEST FOR QUOTATION

Sub. : Inquiry for appointment as internal environmental auditor for monitoring & Consultancy for period of 01.05.2023 to 30.04.2024

Dear Sir,

We would like to appoint an Internal Environmental Auditor for monitoring of Stack,

Effluent, Ambient Air and Solid Waste analysis on monthly basis, for the period of one year,

as per Water Act 1974 & as per consent order of GPCB to our both plant as mention below.

1. AmulFed Dairy (A Unit of GCMMF Limited.),

Plot No. - 35, Near Indira Bridge,

Ahmedabad - Gandhinagar Highway,

Village: Bhat, Dist.: Gandhinagar.

2. Packaging film Project (PFP)

Sector -25, Electronics GIDC,

Opp- Madhur Dairy,

Gandhinagar.

We invite your most competitive offer on the following terms & conditions:

1. Rate only accepted through purchase portal : https://afdpurchase.amul.in/

2. You are requested to send us an offer considering the specifications in purchase portal.

3. Your offer must be submitted through purchase portal only.

4. If you are not registered than register to get RFQ for rate submission on purchase portal.

5. Rates should be valid for one year. Rates for the sampling will remain fixed for the contract period irrespective of no. of samples.

6. It is not binding on us to accept lowest offer. Right to reject any or all the offers without assigning any reason is reserved by AmulFed Dairy.

7. Offer which are incomplete or not meeting the conditions or only for part items, are liable for rejections.

8. We would prefer payment term: within 30 days.

9. Sampling Schedule: As per instruction of concerned ETP In-charge/PFP Incharge monthly basis.

10. You should be a recognized auditor of Gujarat Pollution Control Board & photocopy of the letter of GPCB should be enclosed.

Remarks:

REQUEST FOR QUOTATION

Purchase Executive Name

Purchase Executive E Mail ID

Purchase Executive Mobile No.

Umang_Vanani umang.vanani@amul.coop 9106687886